

Software

Script untuk mengecek spesifikasi Windows Server 2008 keatas

```
@echo off
```

```
:: Get hostname and IP address
```

```
:: for /f "tokens=2 delims==" %%A in ("wmic computersystem get name /value | findstr Name") do  
set HOSTNAME=%%A
```

```
::for /f "tokens=2 delims=:" %%A in ("ipconfig | findstr /i "IPv4 Address"") do set IP=%%A
```

```
::set IP=%IP:~1%
```

```
::set OUTPUT_FILE=%HOSTNAME% - %IP%.txt
```

```
::set REAL_FILE=%HOSTNAME% - %IP%.txt
```

```
set OUTPUT_FILE=windowsinfo.txt
```

```
:: Clear existing file
```

```
if exist "%OUTPUT_FILE%" del "%OUTPUT_FILE%"
```

```
:: CPU Info
```

```
echo ===== CPU Information ===== > "%OUTPUT_FILE%"
```

```
wmic cpu get Name,NumberOfCores,MaxClockSpeed /format:list > "%OUTPUT_FILE%"
```

```
:: Memory Info
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== Memory Information ===== > "%OUTPUT_FILE%"
```

```
wmic memorychip get Capacity,Manufacturer,Speed /format:list > "%OUTPUT_FILE%"
```

```
:: Disk Info
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== Disk Information ===== > "%OUTPUT_FILE%"
```

```
wmic logicaldisk get Caption,FileSystem,Size,FreeSpace /format:list > "%OUTPUT_FILE%"
```

```
:: OS Info
```

```
echo. > "%OUTPUT_FILE%"
```

Software

```
echo ===== Operating System Information ===== >
"%OUTPUT_FILE%"
```

```
wmic os get Caption,Version,BuildNumber /format:list > "%OUTPUT_FILE%"
```

```
:: Mountpoint Info
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== Mountpoint Information ===== >
"%OUTPUT_FILE%"
```

```
wmic volume get DriveLetter,FileSystem,Label,Capacity /format:list > "%OUTPUT_FILE%"
```

```
:: Hosts File
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== Hosts File ===== > "%OUTPUT_FILE%"
```

```
type %SystemRoot%\System32\drivers\etc\hosts > "%OUTPUT_FILE%"
```

```
:: User and Group Info
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== User and Group Information ===== >
"%OUTPUT_FILE%"
```

```
net user > "%OUTPUT_FILE%"
```

```
echo. > "%OUTPUT_FILE%"
```

```
net localgroup > "%OUTPUT_FILE%"
```

```
:: Ulimit Configuration
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== Ulimit Configuration ===== > "%OUTPUT_FILE%"
```

```
echo "Not applicable on Windows." > "%OUTPUT_FILE%"
```

```
:: Installed Software and Versions
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== Installed Software and Versions ===== >
"%OUTPUT_FILE%"
```

Software

```
wmic product get Name,Version /format:list > "%OUTPUT_FILE%"
```

```
:: Inbound Connections
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== Inbound Connections (IP and Port) ===== >  
"%OUTPUT_FILE%"
```

```
netstat -an | findstr LISTENING > "%OUTPUT_FILE%"
```

```
:: Outbound Connections
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== Outbound Connections (IP and Port) ===== >  
"%OUTPUT_FILE%"
```

```
netstat -an | findstr ESTABLISHED > "%OUTPUT_FILE%"
```

```
:: IP Tables
```

```
echo. > "%OUTPUT_FILE%"
```

```
echo ===== IP Tables ===== > "%OUTPUT_FILE%"
```

```
route print > "%OUTPUT_FILE%"
```

```
echo Output saved to %OUTPUT_FILE%
```

```
pause
```

Unique solution ID: #1026

Author: n/a

Last update: 2024-12-20 09:53